



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni3n I 33211 Tremañes Gij3n Asturias
Tel. 985 345 773 M3vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames / Racor Camelock					
	Adapteur. Taraudé. Femelle. BSPP. TypeA. MIL A-A-59326 A.	Aluminium Aluminio	15	1/2"	510 16 50
			20	3/4"	510 16 51
			25	1 "	510 16 52
			32	1-1/4"	510 16 53
			40	1-1/2"	510 16 54
			50	2"	510 16 55
			65	2-1/2"	510 16 56
			80	3"	510 16 57
			100	4"	510 16 58
			125	5"	510 16 59
	Adaptador. Taladrado. Hembra. BSPP. Part A. MIL A-A-59326 A.		150	6"	510 16 60
	Coupleur. Fileté. Mâle. BSPP. TypeB. MIL A-A-59326 A.	Aluminium Aluminio	15	1/2"	510 16 61
			20	3/4"	510 16 62
			25	1"	510 16 63
			32	1-1/4"	510 16 64
			40	1-1/2"	510 16 65
			50	2"	510 16 66
			65	2-1/2"	510 16 67
			80	3"	510 16 68
			100	4"	510 16 69
			125	5"	510 16 70
	Acoplador. Roscado. Macho. BSPP. Part B. MIL A-A-59326 A.		150	6"	510 16 71
	Coupleur. Annelé. TypeC. MIL A-A-59326 A.	Aluminium Aluminio	15	16	510 16 72
			20	21	510 16 73
			25	26	510 16 74
			32	34	510 16 75
			40	40	510 16 76
			50	51	510 16 77
			65	64	510 16 78
			80	76	510 16 79
			100	102	510 16 80
			125	127	510 16 81
	Acoplador. Anillado. Part C. MIL A-A-59326 A.		150	152	510 16 82



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Tremañes Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

			Diam. raccord <i>Diam. racor</i>	Diam. douille <i>Diam. espiga</i>	Code article <i>Referencia</i>	Nouveau <i>Nuevo</i>
Raccords à cames / <i>Racor Camelock</i>						
	Coupleur. Taraudé. Femelle. BSPP. Type D. MIL A-A-59326 A. <i>Acoplador. Taladrado. Hembra. BSPP. Part D. MIL A-A-59326 A.</i>	Aluminium Aluminio	15	1/2"	510 16 83	
			20	3/4"	510 16 84	
			25	1"	510 16 85	
			32	1-1/4"	510 16 86	
			40	1-1/2"	510 16 87	
			50	2"	510 16 88	
			65	2-1/2"	510 16 89	
			80	3"	510 16 90	
			100	4"	510 16 91	
			125	5"	510 16 92	
			150	6"	510 16 93	
	Adapteur. Annelé. Type E. MIL A-A-59326 A. <i>Adaptador. Anillado. Part E. MIL A-A-59326 A.</i>	Aluminium Aluminio	15	16	510 16 94	
			20	21	510 16 95	
			25	26	510 16 96	
			32	34	510 16 97	
			40	40	510 16 98	
			50	51	510 16 99	
			65	64	510 17 00	
			80	76	510 17 01	
			100	102	510 17 02	
			125	127	510 17 03	
			150	152	510 17 04	
	Adapteur. Fileté. Mâle. BSPP. Type F. MIL A-A-59326 A. <i>Adaptador. Roscado. Macho. BSPP. Part F. MIL A-A-59326 A.</i>	Aluminium Aluminio	15	1/2"	510 17 05	
			20	3/4"	510 17 06	
			25	1"	510 17 07	
			32	1-1/4"	510 17 08	
			40	1-1/2"	510 17 09	
			50	2"	510 17 10	
			65	2-1/2"	510 17 11	
			80	3"	510 17 12	
			100	4"	510 17 13	
			125	5"	510 17 14	
			150	6"	510 17 15	



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Tremañes Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames /Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames /Racor Camelock					
	Bouchon. TypeDC. MIL A-A-59326 A. <i>Tapón. Part DC. MIL A-A-59326 A.</i>	Aluminium Aluminio	15	1/2"	510 17 16
			20	3/4"	510 17 17
			25	1"	510 17 18
			32	1-1/4"	510 17 19
			40	1-1/2"	510 17 20
			50	2"	510 17 21
			65	2-1/2"	510 17 22
			80	3"	510 17 23
			100	4"	510 17 24
			125	5"	510 17 25
	Bouchon. TypeDP. MIL A-A-59326 A. <i>Tapón. Part DP. MIL A-A-59326 A.</i>	Aluminium Aluminio	150	6"	510 17 26
			15	1/2"	510 17 27
			20	3/4"	510 17 28
			25	1"	510 17 29
			32	1-1/4"	510 17 30
			40	1-1/2"	510 17 31
			50	2"	510 17 32
			65	2-1/2"	510 17 33
			80	3"	510 17 34
			100	4"	510 17 35
	Adapteur. Taraudé. Femelle. BSPP. TypeA. MIL A-A-59326 A. <i>Adaptador. Taladrado. Hembra. BSPP. Part A. MIL A-A-59326 A.</i>	Inox 316 Acero inoxidable 316	125	5"	510 17 36
			150	6"	510 17 37
			15	1/2"	510 13 96
			20	3/4"	510 13 97
			25	1"	510 13 98
			32	1-1/4"	510 13 99
			40	1-1/2"	510 14 00
			50	2"	510 14 01
			65	2-1/2"	510 14 02
			80	3"	510 14 03
			100	4"	510 14 04
125	5"	510 15 87			
150	6"	510 14 05			



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Tremañes Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames / Racor Camelock					
	Coupleur. Fileté. Mâle. BSPP. TypeB. MIL A-A-59326 A.	Inox 316 Acero inoxidable 316	15	1/2"	510 14 26
	Acoplador. Roscado. Macho. BSPP. Part B. MIL A-A-59326 A.		20	3/4"	510 14 27
			25	1"	510 14 28
			32	1-1/4"	510 14 29
			40	1-1/2"	510 14 30
			50	2"	510 14 31
			65	2-1/2"	510 14 32
			80	3"	510 14 33
			100	4"	510 14 34
			125	5"	510 15 90
	Coupleur. Annelé. TypeC. MIL A-A-59326 A.	Inox 316 Acero inoxidable 316	15	16	011 74 30
	Acoplador. Anillado. Part C. MIL A-A-59326 A.		20	21	011 74 31
			25	26	011 74 32
			32	34	011 74 33
			40	40	011 74 34
			50	51	011 74 35
			65	64	011 74 36
			80	76	011 74 37
			100	102	011 74 38
			125	127	510 15 85
	Coupleur. Taraudé. Femelle. BSPP. TypeD. MIL A-A-59326 A.	Inox 316 Acero inoxidable 316	15	1/2"	510 14 16
	Acoplador. Taladrado. Hembra. BSPP. Part D. MIL A-A-59326 A.		20	3/4"	510 14 17
			25	1"	510 14 18
			32	1-1/4"	510 14 19
			40	1-1/2"	510 14 20
			50	2"	510 14 21
			65	2-1/2"	510 14 22
			80	3"	510 14 23
			100	4"	510 14 24
			125	5"	510 15 89
			150	6"	510 14 25



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Tremañes Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames /Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames /Racor Camelock					
	Adapteur. Annelé. Type E. Inox 316 MIL A-A-59326 A. <i>Adaptador. Anillado. Part E. MIL A-A-59326 A.</i>				
		15	16	011 74 43	
		20	21	011 74 44	
		25	26	011 74 45	
		32	34	011 74 46	
		40	40	011 74 47	
		50	51	011 74 48	
		65	64	011 74 49	
		80	76	011 74 50	
		100	102	011 74 51	
	Adapteur. Fileté. Mâle. Inox 316 BSPP. Type F. MIL A-A-59326 A. <i>Adaptador. Roscado. Macho. BSPP. Part F. MIL A-A-59326 A.</i>				
		15	1/2"	510 14 06	
		20	3/4"	510 14 07	
		25	1"	510 14 08	
		32	1-1/4"	510 14 09	
		40	1-1/2"	510 14 10	
		50	2"	510 14 11	
		65	2-1/2"	510 14 12	
		80	3"	510 14 13	
		100	4"	510 14 14	
	Adapteur. A souder. BW. Inox 316 MIL A-A-59326 A. <i>Adaptador. Para soldar. BW. MIL A-A-59326 A.</i>				
		15	21.3	510 20 11	
		20	26.7	510 20 12	
		25	33.4	510 20 13	
		32	42.2	510 20 14	
		40	48.3	510 20 15	
		50	60.3	510 20 16	
		65	76.1	510 20 17	
		80	88.9	510 20 18	
		100	114.3	510 20 19	
	Coupleur. A souder. BW. Inox 316 MIL A-A-59326 A. <i>Acoplador. Para soldar. BW. MIL A-A-59326 A.</i>				
		15	21.3	510 20 20	
		20	26.7	510 20 21	
		25	33.4	510 20 22	
		32	42.2	510 20 23	
		40	48.3	510 20 24	
		50	60.3	510 20 25	
		65	76.1	510 20 26	
		80	88.9	510 20 27	
		100	114.3	510 20 28	
		125	139.7	510 69 97	✓
		125	139.7	510 69 96	✓



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni3n I 33211 Tremañes Gij3n Asturias
Tel. 985 345 773 M3vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames / Racor Camelock					
	Bouchon. Type DC. MIL A-A-59326 A.	Inox 316 Acero inoxidable 316	15	1/2"	510 14 46
	Tap3n. Part DC. MIL A-A-59326 A.		20	3/4"	510 14 47
			25	1"	510 14 48
			32	1-1/4"	510 14 49
			40	1-1/2"	510 14 50
			50	2"	510 14 51
			65	2-1/2"	510 14 52
			80	3"	510 14 53
			100	4"	510 14 54
			125	5"	510 15 92
	Bouchon. Type DP. MIL A-A-59326 A.	Inox 316 Acero inoxidable 316	150	6"	510 14 55
	Tap3n. Part DP. MIL A-A-59326 A.		15	1/2"	510 14 36
			20	3/4"	510 14 37
			25	1"	510 14 38
			32	1-1/4"	510 14 39
			40	1-1/2"	510 14 40
			50	2"	510 14 41
			65	2-1/2"	510 14 42
			80	3"	510 14 43
			100	4"	510 14 44
	Adapteur. Taraud3. Femelle. BSPP. Type A. MIL A-A-59326 A.	Laiton Lat3n	125	5"	510 15 91
	Adaptador. Taladrado. Hembra. BSPP. Part A. MIL A-A-59326 A.		150	6"	510 14 45
			15	1/2"	510 20 81
			20	3/4"	510 20 82
			25	1"	510 20 83
			32	1-1/4"	510 20 84
			40	1-1/2"	510 20 85
			50	2"	510 20 86
			65	2-1/2"	510 20 87
			80	3"	510 20 88
	Coupleur. Filet3. BSPP. Type B. MIL A-A-59326 A.	Laiton Lat3n	100	4"	510 20 89
	Acoplador. Roscado. Macho. BSPP. Part B. MIL A-A-59326 A.		15	1/2"	510 20 92
			20	3/4"	510 20 93
			25	1"	510 20 94
			32	1-1/4"	510 20 95
			40	1-1/2"	510 20 96
			50	2"	510 20 97
			65	2-1/2"	510 20 98
			80	3"	510 20 99
			100	4"	510 21 00



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni3n I 33211 Tremañes Gij3n Asturias
Tel. 985 345 773 M3vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

		Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames / Racor Camelock					
	Coupleur. Annelé. Type C. MIL A-A-59326 A. <i>Acoplador. Anillado. Part C. MIL A-A-59326 A.</i>	Laiton Lat3n	15	16	510 21 03
			20	21	510 21 04
			25	26	510 21 05
			32	34	510 21 06
			40	40	510 21 07
			50	51	510 21 08
			65	64	510 21 09
			80	76	510 21 10
	Coupleur. Taraudé. Femelle. BSPP. Type D. MIL A-A-59326 A. <i>Acoplador. Taladrado. Hembra. BSPP. Part D. MIL A-A-59326 A.</i>	Laiton Lat3n	15	1/2"	510 21 14
			20	3/4"	510 21 15
			25	1"	510 21 16
			32	1-1/4"	510 21 17
			40	1-1/2"	510 21 18
			50	2"	510 21 19
			65	2-1/2"	510 21 20
			80	3"	510 21 21
	Adapteur. Annelé. Type E. MIL A-A-59326 A. <i>Adaptador. Anillado. Part E. MIL A-A-59326 A.</i>	Laiton Lat3n	100	4"	510 21 22
			15	16	510 21 25
			20	21	510 21 26
			25	26	510 21 27
			32	34	510 21 28
			40	40	510 21 29
			50	51	510 21 30
			65	64	510 21 31
	Adapteur. Fileté. Mâle. BSPP. Type F. MIL A-A-59326 A. <i>Adaptador. Roscado. Macho. BSPP. Part F. MIL A-A-59326 A.</i>	Laiton Lat3n	80	76	510 21 32
			100	102	510 21 33
			15	1/2"	510 21 36
			20	3/4"	510 21 37
			25	1"	510 21 38
			32	1-1/4"	510 21 39
			40	1-1/2"	510 21 40
			50	2"	510 21 41
			65	2-1/2"	510 21 42
			80	3"	510 21 43
			100	4"	510 21 44



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Trema6es Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames /Racor Camelock

			Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames /Racor Camelock						
	Bouchon. Type DC. MIL A-A-59326 A. Tap6n. Part DC. MIL A-A-59326 A.	Laiton Lat6n	15	1/2"	510 21 47	
			20	3/4"	510 21 48	
			25	1"	510 21 49	
			32	1-1/4"	510 21 50	
			40	1-1/2"	510 21 51	
			50	2"	510 21 52	
			65	2-1/2"	510 21 53	
			80	3"	510 21 54	
			100	4"	510 21 55	
	Bouchon. Type DP. MIL A-A-59326 A. Tap6n. Part DP. MIL A-A-59326 A.	Laiton Lat6n	15	1/2"	510 21 58	
			20	3/4"	510 21 59	
			25	1"	510 21 60	
			32	1-1/4"	510 21 61	
			40	1-1/2"	510 21 62	
			50	2"	510 21 63	
			65	2-1/2"	510 21 64	
			80	3"	510 21 65	
			100	4"	510 21 66	
	Kit. Goupille. Axe. Anneau. MIL A-A-59326 A. Kit. Clavija. Eje. Anillo. MIL A-A-59326 A.	Inox 304 Acero inoxidable 304	15-20		510 22 43	
			25		510 22 44	
			32-65		510 22 45	
			80-125		510 22 46	
			150		510 22 47	
	Epingle. Pour Camelock. Pinza. Para Camelock.	Inox 304 Acero inoxidable 304	1/2" au 1"		510 29 57	✓
			1-1/4" au 6"		510 29 58	✓
	Joint. MIL A-A-59326 A. Junta. MIL A-A-59326 A.	NBR NBR	15		510 14 56	
			20		510 14 57	
			25		510 14 58	
			32		510 14 59	
			40		510 14 60	
			50		510 14 61	
			65		510 14 62	
			80		510 14 63	
			100		510 14 64	
			125		510 20 00	
			150		510 14 65	



VULCANIZADOS TRANCHO, S.A.

C/ Bazán nº 6-8 P.I Bankuni6n I 33211 Trema6es Gij6n Asturias
Tel. 985 345 773 M6vil 679 48 48 55 / 57 www.trancho.com



Raccords à cames / Racor Camelock

			Diam. raccord Diam. racor	Diam. douille Diam. espiga	Code article Referencia	Nouveau Nuevo
Raccords à cames / Racor Camelock						
	Joint. MIL A-A-59326 A. Junta. MIL A-A-59326 A.	EPDM EPDM	15		510 22 81	
			20		510 22 82	
			25		510 22 83	
			32		510 22 84	
			40		510 22 85	
			50		510 22 86	
			65		510 22 87	
			80		510 22 88	
			100		510 22 89	
			125		510 22 90	
	Joint. MIL A-A-59326 A. Junta. MIL A-A-59326 A.	VITON® VITON ®	150		510 22 91	
			15		510 14 66	
			20		510 14 67	
			25		510 14 68	
			32		510 14 69	
			40		510 14 70	
			50		510 14 71	
			65		510 14 72	
			80		510 14 73	
			100		510 14 74	
	Joint. Avec enveloppe PTFE. MIL A-A-59326 A. Junta. Con envoltura PTFE. MIL A-A-59326 A.	DYNAFLON - VITON® DYNAFLON - VITON ®	125		510 22 80	
			150		510 14 75	
			15		510 14 85	
			20		510 14 86	
			25		510 14 87	
			32		510 14 88	
			40		510 14 89	
			50		510 14 90	
			65		510 14 91	
			80		510 14 92	
	Joint. Avec enveloppe PTFE. MIL A-A-59326 A. Junta. Con envoltura PTFE. MIL A-A-59326 A.	FEP - Silicone FEP - Silicona	100		510 14 93	
			15		510 14 94	
			20		510 14 95	
			25		510 14 96	
			32		510 14 97	
			40		510 14 98	
			50		510 14 99	
			65		510 15 00	
			80		510 15 01	
			100		510 15 02	